

# PSA9062



|                |                   |
|----------------|-------------------|
| Product Family | Hob               |
| Built-in type  | Ultra-low profile |
| Dimensions     | 90 cm             |
| Power supply   | Gas               |
| Type           | Gas               |
| EAN code       | 8017709327644     |



## Aesthetics



|                         |                 |
|-------------------------|-----------------|
| Aesthetic               | Classic         |
| Colour                  | Stainless steel |
| Finishing               | Satin           |
| Material                | Stainless Steel |
| Type of steel           | Brushed         |
| Pan stands              | Cast iron       |
| Burners                 | Standard        |
| Burners Material        | Alluminium      |
| Type of control setting | Control knobs   |
| Control knob position   | Front           |
| No. of controls         | 6               |
| Controls colour         | Silver          |
| Serigraphy colour       | Black           |

## Program / Functions

|                         |   |
|-------------------------|---|
| No. of gas cook zones   | 5 |
| Total no. of cook zones | 5 |

## Options

|                  |            |
|------------------|------------|
| Standard cut out | 490x878 mm |
|------------------|------------|

## Technical Features

**UR**

Left - Gas - 2UR (dual) - 5.00 kW  
 Rear-centre - Gas - Rapid - 2.50 kW  
 Front-centre - Gas - AUX - 1.05 kW  
 Rear-right - Gas - Rapid - 2.50 kW  
 Front-right - Gas - AUX - 1.05 kW  
 Gas safety valves Yes

**Automatic Ignition** Yes

## Accessories Included


Cast iron wok support 1

## Electrical Connection

|   |               |                                  |              |
|---|---------------|----------------------------------|--------------|
| <b>Plug</b>                             | (I) Australia | <b>Type of electric cable</b>    | Single phase |
| <b>Electrical connection rating (W)</b> | 1 W           | <b>Frequency (Hz)</b>            | 50/60 Hz     |
| <b>Current</b>                          | 0.01 A        | <b>Power supply cable length</b> | 120 cm       |
| <b>Voltage (V)</b>                      | 220-240 V     | <b>Plug</b>                      | I            |

## Gas Connection

|                                   |                    |                                       |             |
|-----------------------------------|--------------------|---------------------------------------|-------------|
| <b>Gas Type</b>                   | G20 Natural gas    | <b>Other gas connections provided</b> | Cylindrical |
| <b>Gas connection</b>             | Conical            | <b>Gas connection rating (W)</b>      | 12500 W     |
| <b>Other gas nozzles included</b> | G30 GPL Liquid gas |                                       |             |



---

## Compatible Accessories

---

**6MP1PGF**

6 Linea knobs for PGF hobs



**GRW**

Wok support



**GRM**

Gas hobs moka support



**WOKGHU**


Cast-Iron WOK Support



---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength.        |
|  | Knobs control   |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |