

SHU920X

Integrated hood, Stainless steel



TYPE

Product family: Hood • Hood Type: Integrated hood • Extraction: Extraction • EAN code: 8017709309060

AESTHETICS

Colour: Stainless steel • Finishing: Satin • Design: Ceiling • Material: Stainless steel • Type of steel: Brushed

PROGRAMS / FUNCTIONS

No. of speeds: 3 • Intensive speed: Yes

CONTROLS

Control setting: Buttons • Led color: White

TECHNICAL FEATURES

No. of lights: 2 • Light type: LED • Light color temperature scale (°K): 4000 °K • Free outlet maximum capacity: 185 m³/h • Motor power: 250 W • No. of filters: 2 • Anti-grease filters: Stainless steel

PERFORMANCE / ENERGY LABEL

ELECTRICAL CONNECTION

Voltage: 220-240 V • Frequency (Hz): 50-60 Hz

OPTIONAL ACCESSORIES

SPEED 1

Extraction rate IEC 61591: 330 m³/h • Noise level IEC 60704-2-13: 52 dB(A) • Power: 145 W

SPEED 2

Extraction rate IEC 61591: 500 m³/h • Noise level IEC 60704-2-13: 60 dB(A) • Power: 180 W

SPEED 3

Extraction rate IEC 61591: 670 m³/h • Noise level IEC 60704-2-13: 66 dB(A) • Power: 230 W

SPEED 4

INTENSIVE SPEED

Extraction rate (IEC 61591): 770 m³/h • Noise level IEC 60704-2-13: 70 dB(A) • Power: 250 W

LOGISTIC INFORMATION

Dimensions of the product (mm): 465x970x370 • Width: 970 mm • Depth (mm): 370 mm • Product Height (mm): 465 mm • Net weight (kg): 9.500 kg • Gross weight (kg): 12.300 kg

