

547L quad-door fridge in matte black, designed to easily fit within a kitchen cavity with an ideal height of 1725mm. Features dual CrispSeal crispers, a sphere ice tray, and a 4-star energy rating.



Product Details

FEATURES

Designed for Australian kitchens	Designed for New Zealand kitchens	Modern design	CrispSeal Drawers
Door bins	FresherAir™	Sphere ice tray	Hidden hinges
Rear rollers	Egg tray	Door alarm	Frost free
LED lighting			

BENEFITS

Tailored for everyday living
Thoughtfully designed to suit the way we live, this fridge fits your standard fridge cavity, making it an ideal choice for an easy upgrade or replacement. With a smart, streamlined design, its perfect for creating a polished look without the fuss.

Modern design within reach
Say hello to a fridge that looks as good as it works! With integrated handles at the top and bottom, opening your fridge has never been easier. No bulky handles, just sleek design thats all about style and smooth, effortless access.

Dual storage with dual crispers
Keep fruit and veggies fresher with our CrispSeal Crispers. With seals that assist in preventing moisture loss, youre able to look after your food the right way.

Big bins. Big convenience.
With deep, full-width door bins on both sides, youve got plenty of room to store larger items like milk or juice bottles. Designed for families to share houses, these bins keep your bigger essentials neatly organised and always within easy reach.

FresherAir™ for a fresher fridge
Say goodbye to fridge smells! FresherAir™ uses a built-in carbon filter to help remove unpleasant odours, keeping your fridge smelling clean, just the way it should be.

Stay refreshingly cool
Keep your drinks ice cold thanks to our sphere ice tray. With plenty of ice available for all and the slow melting nature of larger sphere ice, you and your family can enjoy ice-cold drinks anytime.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	quad door
Exterior door finish	Stainless steel
Handle design	integrated
Fridge door opening	left and right
Cooling system	frost free
Freezer door opening	left and right
Refrigerant	R600a

DIMENSIONS

Total height (mm)	1725
Cabinet height (mm)	1705
Total width (mm)	896
Cabinet width (mm)	890
Total depth (mm)	730
Cabinet depth (mm)	640
Depth door open 90degree (mm)	1105
Air space above cabinet (mm)	30
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	397
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	150
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	547

ENERGY

Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	4
Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	382

FOOD COMPARTMENT

SHELVING

Type of shelf	adjustable shelf
---------------	------------------

LIGHTING

Feature lighting	LED
Main light	LED

FOOD COMPARTMENT DOOR

BINS

Deep bottle bin	2
-----------------	---

REFRIGERATOR SYSTEM

Controls	electronic (without display)
Controls type	touch
Control functions	quick freeze function
Door alarm	fridge

CRISPERS

Crisper lid/shelf	glass
Crispers Runner system	suspended
Crisper features	fully sealed

OTHER PROPERTIES

Other Properties-FOOD COMPARTMENT	Egg tray,Deodoriser
-----------------------------------	---------------------

OTHER PROPERTIES

Seals	removable,mould resistant
-------	---------------------------

Shallow bin	4
-------------	---

FREEZER COMPARTMENT

ICE FACILITY

Ice sphere tray	1
-----------------	---

OTHER PROPERTIES

Half width shallow freezer drawer	1
-----------------------------------	---

BASKET/DRAWER


Full width plastic basket	2
---------------------------	---

Full Width Pull Out Tray	4
--------------------------	---


Dimensions

Large Multidoor


WQE5400SD/BD
WHE5600SD
WHE5650SD




Minimum Recommended Airspaces



If you have a cupboard above the refrigerator with a rear gap of less than 100mm (Y), recommended minimum clearance at the top of the refrigerator increases from 30mm to 70mm (X).



Please note: Doors are designed to sit proud of cabinetry (not flush)
Minimum cabinetry opening (WxDxH):
940mm x 679mm x 1755mm



When positioned in a corner area, spacing of at least 285mm on the hinge side will allow the doors to open enough to enable the removal of bins and shelves.

Front face of bench aligned to front corner edge of cabinet.

Dimensions	Product Height (H)	Product Width (W)	Product Depth (D)	Product Depth (D2) (Door Open)
WQE5400BD/SD	1725	896	730	1108
WHE5600SD	1725	896	730	1108
WHE5650SD	1725	896	730	1108

IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.

© 2025 Electrolux Home Products Pty Ltd. WHS_DIM_LargeMultidoor_Jul25
® and Westinghouse are trademarks of Westinghouse Electric Corporation.
All Rights Reserved.

Airspace	Side - both	Top	Behind
WQE5400BD/SD	5	30	50
WHE5600SD	5	30	50
WHE5650SD	5	30	50

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz